

STYLE NUMBER DIRECTORY

STYLE NO.	PAGE	STYLE NO.	PAGE	STYLE NO.	PAGE	STYLE NO.	PAGE
G200	3	G280	17	G369	27	G625	38
G201	3	G281	17, 34	G370	27	G626	38
G202 G203	3	G282	17, 34	G371	27	G627	38
G203	3	G283	16	G372	27	G628	38
G205	3	G284 G285	16 17	G374 G380	27, 28 27	G632 G633	38 38
G206	4	G286	18	G382	27, 28	G634	38
G207	4	G287	18	G388	27	G635	38
G208	4	G288	18	G390	29	G636	38
G209	4	G289	18	G398	29	G637	38
G210 G211	5 5	G290	19	G406	29	G638	38
G213	5	G291 G292	19 19	G414 G422	29	G639 G640	38 38
G214	5	G292	19	G422 G429	29 28	G641	13, 39
G216	6	G294	19	G430	28	G642	13, 39
G217	6	G295	19	G431	29	G643	13, 39
G218	6	G296	21	G432	29	G644	13, 39
G219 G220	6, 21 7	G297	21	G433	29	G645	13, 39
G221	39	G298	21	G434	29	G646 G647	13, 39
G222	7	G299 G300	21	G435 G439	28 29	G648	13, 39 13, 39
G223	7	G301	21	G443	29	G649	13, 39
G224	7	G302	24	G447	29	G650	13, 39
G225	7	G303	21	G451	29	G651	13, 39
G226	7	G304	22	G455	29	G652	13, 39
G227 G228	8	G305	22	G459	30	G653	39
G229	8	G306	22	G463	30	G654 G655	33
G230	8	G307 G308	22	G467 G471	30 30	G656	33 33
G231	9	G309	22	G471	30	G657	33
G232	9	G310	22	G476	30	G658	33
G233	9	G311	22	G477	30	G659	33
G234	9	G312	22	G478	30	G661	33
G235 G236	9	G313	31	G479	30	G662	5
G237	9	G314	31	G480	31	G663 G664	5 5
G238	9	G315	22	G481 G482	31	G665	5
G239	9	G317	22	G482 G483	31 31	G666	15
G240	9	G318	23	G484	34	G667	15
G241	9	G319	23	G485	34	G668	21
G242	9	G320	23	G486	35	G669	21
G243 G244	10	G321	39	G487	35	G670	25
G245	10 10	G327 G328	23 23	G488	35	G671 G672	25 25
G246	11	G328	23	G489 G490	35 35	G673	25
G247	11, 19	G330	23	G491	35	G674	23
G248	11	G331	23	G492	17	G675	23
G249	11	G332	23	G494	36	G676	23
G250 G251	11 11	G333	23	G495	36	G677 G678	23 23
G252	11	G334 G335	23	G496	36	G679	23
G253	11	G336	22	G497 G498	36 36	G680	23
G254	11	G337	24	G499	36	G681	23
G255	11	G338	24	G600	36	G706	32
G256	11	G339	24	G601	36	G708	32
G257 G258	11	G340	25	G602	36	G711 G715-	32
G259	11	G341 G345	25 25	G603	36	G918	32
G260	11	G346	25	G604 G605	37 37	G725-	01
G261	14	G347	25	G606	32	G928	32
G262	14	G348	25	G607	37	G735-	
G263	14	G349	25	G608	32	G938	32
G264 G265	14 15	G350	25	G609	37	G745-	20
G266	14	G351	25, 31	G610	37	G948 G753	32 39
G267	15	G352 G353	25, 31 25, 31	G611 G612	32 37	G761	14
G268	15	G354	25, 31	G613	37	G762	14
G269	15	G355	26	G614	38	G801	21
G270	16	G356	26	G615	38	G802	3
G271	16	G357	26	G616	38	G803	3
G272 G273	16 16, 25	G358	26	G617	38	G804 G805	3
G274	16, 25	G359 G360	26 26	G618	38	G885	3 17
G275	17	G362	26	G619 G620	38 38	G901	13
G276	17	G364	27	G621	38	G902	13
G277	17	G366	27	G622	38	G903	13
G278 G279	17 17	G368	27	G623	38	G904	13
92/9	17			G624	38	G905	13





GLIMPSES of the GLOBE SHOWROOM in NEW YORK

No camera can do full justice to the beauty and the spaciousness of GLOBE's New York Showroom. As a showplace of new fashions in lighting, it stands unique, reflecting in its every aspect GLOBE's leadership for over a third of a century. The several views shown here are mere suggestions of its scope of presentation. The fixtures you see in these views are from GLOBE's Continental line; they are not a part of the line shown in this catalog.




TABLE OF CONTENTS

DINING AREA Contemporary

Pages 3, 6, 7

DINING AREA
Traditional

Pages 4, 5, 8, 9

DINING AREA, RANCH
Pages 10, 11

LIVING ROOM
Contemporary
and Traditional
Pages 13, 14, 15

HALL Contemporary Pages 16, 17

HALL Traditional Pages 18, 19

BEDROOM Contemporary Pages 21, 22, 23

BEDROOM Traditional Pages 24, 25

KITCHEN AND BATHROOM Pages 26, 27, 30, 31

BATHROOM Pages 28, 29

RECESSED INCANDESCENT AND FLUORESCENT Pages 32, 33

OUTDOOR Contemporary Pages 34, 35

OUTDOOR Traditional Pages 36, 37

SPOT LITES
AND ACCENT LITES
Pages 38, 39

PICTORIAL INDEX

Pages 40, 41

LIGHTING FOR THE DINING AREA BY GLOBE





G200—6 Lt. (2 in upper bowl, 4 in hood); Adjustable Pulley Type; 19" Dia.; 10" Body Depth; 19" Overall Min.; 49" Overall Max. Equipped with 3-way switch. FINISH: Lustre Brass. Glass: Glarex White. Recommended: 60 Watt.


G202 — 4 Lt.; Adjustable Pulley Type; 16" Dia.; 9" Body Depth; 17" Overall Min.; 47" Overall Max.; Equipped with perforated top. FINISH: Lustre Brass. Glass: Glarex White. Recommended: 60 Watt.

G802 — Same as above. FINISH: Lustre Copper.



G203 — 5 Lt.; 22" Width; 12" Depth. FINISH: Lustre Brass with Black Trim. Glass: Glarex White. Recommended: 60 Watt. **G803** — Same as above. FINISH: Lustre Copper with Black Trim.

As Shown at Jens Risom, New York. Lighting by Globe. Also see front cover



G204 — 3 Lt.; 19" Width; 11" Depth. FINISH: Lustre Brass with Black Trim. Glass: Glarex White. Recommended: 60 Watt. **G804** — Same as above. FINISH: Lustre Copper with Black Trim.




As shown at W. & J. Sloane, New York. Lighting by Globe.






G207 — 1 Lt.; 8½" Depth; 7¾" Width. Extends 5¼"; Covers 4" Box. FINISH: Black and Polished Brass Trim. Glass: Clear with Black Decoration. Recommended: 40 Watt Flame.



G206 — 6 Lt.; 17¼" Hexagonal; 17" Body Depth; 36" Overall. FINISH: Black and Polished Brass Trim. Glass: Clear with Black Decoration. Recommended: 40 Watt Flame.


G208 — 4 Lt.; Adjustable Pulley Type; 14½" Dia.; 6" Body Depth; 15" Overall Min.; 45" Overall Max.; Circumference of drum lined with plastic reinforced fiberglas.
FINISH: Black with Polished Brass Trim. Glass: Glarex White.
Recommended: 60 Watt.

G209 — Same as above. FINISH: Black with Polished Copper Trim.



G210 — 5 Lt.; 23½" Width; 12" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Simulated Cut Crystal Design Recommended: 60 Watt.

LIGHTING FOR THE DINING AREA BY GLOBE



G213 — 5 Lt.; 23" Dia.; 13½" Body Length; 36" Overall. FINISH: Polished Brass with Black Arms. Glass: White with "Golden Glow" Ice Border. Recommended: 60 Watt.

G664 — 1 Lt.; Adjustable Pulley Type; 18½" Dia.; 13" Body Depth; 22" Overall Min.; 52" Overall Max. Perforated metal cylinder lined with plastic reinforced fiberglas. FINISH: Black with Polished Brass Trim. Perforated Cylinder — Eggshell White. Recommended: 150 Watt.

G665 — Same as above. FINISH: Pastel Pink with Polished Brass Trim.
Perforated Cylinder — Eggshell White.
5







G222 — 5 Lt.; 21½" Width; 13" Body Depth; 36" Overall Depth. FINISH: Polished Brass with Walnut Finished Wood Column. Glass: Opal White. Recommended: 60 Watt.



LIGHTING FOR THE DINING AREA BY GLOBE



G223 — 1 Lt.; 6" Width; 10%" Length; Extends 3½". FINISH: Polished Brass. Glass: Glarex White. Recommended: 60 Watt.







G227 — 5 Lt.; 23" Width; 14½" Body Depth; 36" Overall. Shades: Textured Plastic Reinforced Fiberglas. FINISH: Polished Brass with Black Trim. Recommended: 60 Watt. G228 — Same as above. FINISH: Polished Brass with White Trim.



G230 — 1 Lt. Extends 6¼"; 12" Length; 5½" Width. Equipped with turn switch.
Shade: Textured Plastic Reinforced Fiberglas.
FINISH: Polished Brass with White Trim.
Recommended: 60 Watt.

G229 — Same as above. FINISH: Polished Brass with Black Trim.



G231 — 5 Lt.; 15½" Octagonal; 13" Body Depth; 36" Overall. Equipped with Imported Crystals. FINISH: Polished Brass. Glass: Hand Carved Clear. Recommended: 40 Watt Flame.



G234 — 3 Lt.; Adjustable Pulley Type; 13" Dia.; 7½" Body Depth; 16½" Overall Min.; 46½" Overall Max. FINISH: All Polished Brass. Glass: Glarex White. Recommended: 60 Watt.

G233 — Same as above. FINISH: Black with Polished Brass Trim.

G232 — Same as above. FINISH: Pastel Pink with Polished Brass Trim.



G237 — 3 Lt.; Adjustable Pulley Type; 13" Dia.; 7½" Body Depth; 16" Overall Min.; 46" Overall Max. FINISH: Black with Polished Brass Trim. Top of Hood Perforated White Baked Enamel. Glass: Glarex White. Recommended: 60 Watt.

G236 — Same as above. FINISH: Polished Brass. Top of Hood Perforated White Baked Enamel.

G235 — Same as above. FINISH: Polished Copper. Top of Hood Perforated White Baked Enamel.

LIGHTING FOR THE DINING AREA BY GLOBE



G239 — 5 Lt.; 20" Width; 12" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Frosted Cut Crystal. Recommended: 60 Watt.




G241 — 2 Lt.; 14¼" x 8¾" Leaded Glass Hood; 11½" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Hood Hand Carved Clear; Chimney frosted with clear center design and top. Recommended: 60 Watt.



G242 — 4 Lt.; 18" Dia.; 12½" Body Depth; 36" Overall. FINISH: Polished Brass with Black Trim. Glass: White Simulated Cut Crystal Design. Recommended: 60 Watt.







G253 — 1 Lt.; Adjustable Pulley Type; 15½" Dia.; 20" Body Depth; 25" Overall Min.; 59" Overall Max. Equipped with three-way switch. FINISH: All Polished Brass. Glass: Frosted with Clear Fluted Top. Recommended: Three-way 50-100-150 Watt.

G252 — Same as above. FINISH: Polished Copper Hood; Balance Polished Brass.

G254 — Same as above. FINISH: Burgundy Red Hood; Balance Polished Brass.



G247 — 1 Lt.; 11" Dia.; 11" Overall Length. FINISH: Coppertone Bronze. Glass: Opal White. Recommended: 60 Watt.



G248 — 1 Lt.; Extends 5½"; 10¼" Length; 5½" Width. FINISH: Coppertone Bronze. Glass: Opal White. Recommended: 60 Watt.



G249 — 1 Lt.; 15½" Dia.; 19" Body Depth; 36" Overall. Equipped with three-way switch. FINISH: Polished Copper Hood; Balance Polished Brass. Glass: Frosted with Clear Fluted Top. Recommended: Three-way 50-100-150 Watt.

G250 — Same as above. FINISH: All Polished Brass.

G251 — Same as above. FINISH: Burgundy Red Hood; Balance Polished Brass.



G255 — 1 Lt.; 13" Dia.: 15¼" Body Depth; 36" Overall.
FINISH: Pastel Pink Hood; Balance Polished Brass.
Glass: Frosted with Clear Top.
Recommended: 100 Watt.

G256 — Same as above. FINISH: Black Hood; Balance Polished Brass.

G257 — Same as above. FINISH: All Polished Brass.

LIGHTING FOR THE RANCH HOME
BY GLOBE

G259

13" Dia.;
25¼" Ov
With thre
FINISH: B
Balance Fo
Glass: Fr
Glass: Fr

G246 — 3 Lt.; 13" Body Height; 18" Dia.; 36" Overall Length. FINISH: Coppertone Bronze with Polished Brass Spiral Column. Glass: Opal White. Recommended: 60 Watt.



G259 — 1 Lt.; Adjustable Pulley Type; 13" Dia.; 164" Body Depth; 254" Overall Min.; 554" Overall Max. With three-way switch. FINISH: Black Hood; Balance Polished Brass. Balance Polished Brass. Glass: Frosted with Clear Top. Recommended: Three-way 30-70-100 Watt.

G258 — Same as above. FINISH: Pastel Pink Hood; Balance Polished Brass.

G260 — Same as above. FINISH: All Polished Brass.

LIGHTING FOR THE LIVING ROOM BY GLOBE



GLOBE'S GLIDE-A-LITE

As Shown at Fabry, New York. Lighting by Globe

The traverse "Globetrack" makes this the most versatile fixture of all... versatility to conform with today's way of living. Here's flexibility never before possible. Now you can move your light source back and forth as well as up and down. It is now possible to have one light source serve both your living and dining areas. Your Glide-a-Light glides effortlessly across your ceiling on the traverse "Globetrack." By merely moving and lowering your Glide-a-Lite, you can, in a matter of seconds, switch from full-room lighting in your living area to dramatic table-setting lighting in your dining area.





G264 — 3 Lt.; Extends 23"; Body Dia. 14½"; Depth 4½". Equipped with three-way switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired. FINISH: Polished Brass with White Trim. Top of Hood Perforated White Baked Enamel. Glass: White. Recommended: 60 Watt.

G266 — Same as above, but for Permanent Mount.



G262 — 3 Lt.; Extends 22"; Body Dia. 14"; Depth 6". Equipped with three-way switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired. Circumference of drum contains plastic reinforced fiberglas. Top of drum enclosed with perforated metal for soft upward illumination. FINISH: Satin Black with Polished Copper Trim. Glass: Glarex White. Recommended: 60 Watt.

G261 — Same as above. FINISH: Satin Black with Polished Brass Trim.

G761 — Same as above, but for Permanent Mount. FINISH: Satin Black with Polished Brass Trim.

G762 — Same as above, but for Permanent Mount.

FINISH: Satin Black with Polished Copper Trim.



G263 — 1 Lt.; Extends 25"; Body Dia. 18"; Depth 9".
Equipped with three-way switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired.
Hood: Textured Plastic Reinforced Fiberglas.
FINISH: Polished Brass and White Trim.
Glass: Glarex White. Recommended: Three-way 30-70-100 Watt.







G267 — 3 Lt.; Extends 21".

Body Dia. 13"; Depth 7½". Equipped with on-off switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired. FINISH: Pastel Pink and Polished Brass Trim.

Glass: Glarex White. Recommended: 60 Watt.

G268 — Same as above. FINISH: Satin Black and Polished Brass Trim.

G269 — Same as above. FINISH: Polished Brass with White Trim.




G265 — 3 Lt.; Contains adjustable extension arm.

Extends Min. 26½"; Max. 35"; Body Dia. 15"; Depth 9".

Equipped with three-way switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired.

FINISH: Lustre Brass with Black Trim. Arm is Walnut Finished Wood.

Glass: Glarex White. Recommended: 60 Watt.



G667 — 1 Lt.; Extends 26"; Body Dia. 18½"; Depth 13". Equipped with three-way switch and 12 ft. two-conductor cotton covered cord and plug. Adjustment as desired. FINISH: Pastel Pink and Polished Brass Trim; Perforated Cylinder — Eggshell White. Recommended: Three-way 50-100-150 Watt.

G666 — Same as above. FINISH: Satin Black and Polished Brass Trim; Perforated Metal Cylinder — Eggshell White.

GLOBE Lighting Products, Inc.

G667

G666

LIGHTING FOR THE CONTEMPORARY HALL BY GLOBE





G271

G272

G271 — 1 Lt.; 8¾" Dia.; 9¼" Depth. FINISH: Satin Black with Polished Brass Trim. Perforated Metal Center: Eggshell White and lined with plastic reinforced fiberglas. Recommended: 75 Watt.

G272 — Same as above. FINISH: Pastel Pink with Polished Brass Trim. Perforated Center: Eggshell White and lined with plastic reinforced fiberglas.



G270 — 1 Lt.; $8\frac{1}{2}$ " Dia.; $7\frac{3}{4}$ " Depth. FINISH: Satin Black and Brass Trim. Glass: Opal White. Recommended: 75 Watt.



G284

G283 — 1 Lt.; 14" Dia.; 8" Depth. FINISH: White Hood, Satin Black Basket and Polished Brass Trim. Glass: Opal White. Recommended: 75 Watt.

G284 — Same as above.
FINISH: White Hood; Balance Satin Brass.



G273 — 2 Lt.; 9¼" Dia.; 5½" Depth.

G274 — 3 Lt.; 13¼" Dia.; 6" Depth.
FINISH: Satin Black with Polished Brass Trim.
Glass: Glarex White. Recommended: 60 Watt.



G277 — 2 Lt.; 8" Dia.; 4¼" Depth. G278 — 2 Lt.; 10" Dia.; 3¾" Depth. FINISH: Polished Brass. Glass: White. Recommended: 75 Watt.



G492 — 1 Lt.; 9¾" Length; 4½" Width; 3¾" Depth. FINISH: Satin Black Body with Polished Brass Ends. Glass: Glarex White. Recommended: 75 Watt.



G280 — 1 Lt.; 7" Dia.; 6" Depth. FINISH: Satin Brass. Glass: Hand Carved Frosted. Recommended: 75 Watt.



G281 — 1 Lt.; 8%" Dia.; 8½" Depth. FINISH: Pastel Pink and Brass Trim. Glass: Frosted Cylinder. Recommended: 75 Watt.

G282 — Same as above. FINISH: Satin Black with Brass Trim.



G285 — 1 Lt.; 6½" Dia.; 7" Depth. FINISH: Lustre Brass and Black. Glass: Glarex White. Recommended: 60 Watt. G885 — Same as above. FINISH: Lustre Copper with Black Trim.



G275



G276 — 1 Lt.; 9½" Dia.; 3½" Depth. FINISH: Polished Brass. Glass: Glarex White. Recommended: 75 Watt.

G275 — Same as above. FINISH: Chrome.



G279 — 1 Lt.; 8½" Dia.; Depth 4". FINISH: Chrome. Glass: Glarex White. Recommended: 60 Watt:

LIGHTING FOR THE TRADITIONAL HALL BY GLOBE





G286 — 2 Lt.; 7¼" Square; 16¼" Body Depth; 36" Overall.

G287 — 4 Lt.; 8½" Square; 17¾" Body Depth; 36" Overall. FINISH: Black and Pol. Brass Trim. Glass: Clear with Black Decorations. Recommended: 40 Watt Flame.



G288 — 2 Lt.; 71¼" Square; 15½" Depth. FINISH: Black and Polished Brass Trim. Glass: Clear with Black Decoration. Recommended: 40 Watt Flame.



G289 — 1 Lt.; 9" Square; 5" Depth. Equipped with Polished Chrome Flat Reflector. FINISH: Granodized Black with Brass Trim. Glass: Clear with Black Decorations. Recommended: 60 Watt Clear.



G290 — 2 Lt.; 5½" Square; 12" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Hand Carved Clear. Recommended: 40 Watt Flame.



G291 — 3 Lt.; 8" Hexagonal Dia.; 13" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Hand Carved Clear. Recommended: 40 Watt Flame.



G292 — 1 Lt.; 4¾" Square; 9¼" Depth FINISH: Polished Brass. Glass: Leaded Hand Carved Clear. Recommended: 60 Watt Clear.



G294 — 1 Lt.; 9½" Square Tapered; 9" Body Depth; 36" Overall. FINISH: Polished Brass. Glass: Hand Carved Clear. Recommended: 60 Watt Clear.



G293 — 1 Lt.; Tri-arm 11" Width; 11" Depth. FINISH: Polished Brass. Glass: Frosted Cut Crystal. Recommended: 60 Watt.



G247 — 1 Lt.; 11" Dia.; 11" Overall Length. FINISH: Coppertone Bronze. Glass: Opal White. Recommended: 60 Watt.



G295 — 1 Lt.; 9½" Dia.; 3½" Depth. FINISH: Polished Brass. Glass: White Simulated Cut Glass Design. Recommended: 75 Watt.

LIGHTING FOR THE CONTEMPORARY BEDROOM BY GLOBE





G668 — 3 Lt.; 17¼" Dia.; 5¼" Depth.
G669 — 4 Lt.; 20¾" Dia.; 6½" Depth.
FINISH: Satin Black with
Polished Brass Trim.
Glass: Glarex White. Recommended: 60 Watt.



G296 — 3 Lt.;(14" Glass Dia.;) 20" Extreme Dia.; 4½" Length.

G297 — 4 Lt.; 22" Extreme Dia.; (16½" Glass Dia.;) 4½" Depth. FINISH: Black Circular Wires with Brass Trim. Glass: Decorated Overall White with "Golden Glow" Ice Border. Recommended: 60 Watt.



G298 — 4 Lt.; Extreme Dia. 18" (Glass Dia. 15¾"); 4½" Depth.

G299 — 5 Lt.; Extreme Dia.; 24" (Glass Dia. 21½"); 4¾" Depth. FINISH: Holder and Frame Satin Brass. Glass: White. Recommended: 60 Watt.




G219 — 4 Lt.; 18" Square; 3½" Depth. FINISH: Satin Brass with Walnut Finished Wood Bottom Frame. Glass: Glarex White. Recommended: 60 Watt.



G301 — 3 Lt.; 15" Dia. Tapered; 7½" Depth. FINISH: Polished Brass and Black Trim. Glass: White. Recommended: 60 Watt. G801 — Same as above. FINISH: Polished Copper.



G303 — 3 Lt.; 19" Extreme Dia.; (15½" Glass Dia.;)4½" Depth. FINISH: Satin Black with Brass Trim. Glass: Glarex White. Recommended: 60 Watt.



G300 — 3 Lt.; 16½" Extreme Dia. with Arm; 14" Sq. Body; 8" Depth. FINISH: Satin Brass with Black Trim. Glass: White. Recommended: 60 Watt.



G304 — 2 Lt.; 12" Dia.; 6¼" Depth.
G305 — 3 Lt.; 15" Dia.; 6¼" Depth.
FINISH: Satin Black with Polished
Brass Trim. Glass: White. Recommended: 60 Watt.



G306 — 4 Lt.; 16" Square; 3¾" Depth. FINISH: White Enamel Canopy and Satin Brass Band. Glass: Simulated Basket Weave Pattern Gray on White. Recommended: 60 Watt.



G307 — 2 Lt.; 12" Square; 4½" Depth. G308 — 3 Lt.; 14" Square; 4½" Depth. FINISH: White Holder with Polished Brass Knob. Glass: White. Recommended: 60 Watt.



G311 — 2 Lt.; 13" Dia.; 4" Depth. G312 — 3 Lt.; 15" Dia.; 4" Depth. FINISH: White Holder with Chrome Bottom Knob. Glass: Glarex White. Recommended: 60 Watt.



G309 — 2 Lt.; 12½" Dia.; 4½" Depth.
G310 — 3 Lt.; 15" Dia.; 4½" Depth.
FINISH: White Holder with Brass
Bottom Knob. Glass: White.
Recommended: 60 Watt.



G335 — 4 Lt.; 16" Square; 3%" Depth. FINISH: Pastel Pink with Brass Trim. Glass: White. Recommended: 60 Watt. G336 — Same as above. FINISH: Satin Brass.



G315 — 3 Lt.; 15" Dia.; 4¾" Depth. FINISH: White Baked Enamel Holder with Brass and Glass Knob. Glass: Multicolored. Recommended: 60 Watt.



G316 — 3 Lt.; 15" Dia.; 5" Depth. FINISH: Polished Brass Holder and Trim. Glass: Glarex White. Recommended: 60 Watt.




G317 — 3 Lt.; 15" Dia.; 4¼" Depth. FINISH: Polished Brass Holder and Trim. Glass: Glarex White. Recommended: 60 Watt.



G319 — 3 Lt.; 14" Square; 4¼" Depth.

G320 — 4 Lt.; 16" Square; 5" Depth. FINISH: White Enamel Holder with Brass Knob. Glass: White with Golden Beaded Pattern. Recommended: 60 Watt.



G674 — 2 Lt.; 8½" Dia.; 4" Depth. FINISH: Chrome.

G675 — Same as above. FINISH: Brass.

G676 — 2 Lt.; 10½" Dia.; 4" Depth. Finish: Chrome.


G677 — Same as above. FINISH: Polished Brass.

G678 — 3 Lt.; 12½" Dia.; 4½" Depth. FINISH: Chrome.

G679 — Same as above. FINISH: Polished Brass.

G680 — 3 Lt.; 14½" Dia.; 4½" Depth. FINISH: Chrome.

G681 — Same as above. FINISH: Polished Brass. Glass: Glarex White. Recommended: 60 Watt.



G331 — 3 Lt.; 15" Dia.; 5" Depth. FINISH: Polished Brass Holder with Brass Trim. Glass: Pastel Pink Border and White Center. Recommended: 60 Watt.


G332 — Same as above. Glass: All White.



G318 — 4 Lt.; 16" Square; $4\frac{1}{2}$ " Depth. FINISH: Honey Beige Wood with Satin Brass Overlay and Perforated Polished Brass Gallery. Glass: Glarex White. Recommended: 60 Watt.



G333 — 3 Lt.; 14" Square; 5" Depth.
G334 — 4 Lt.; 16" Square; 5½" Depth.
FINISH: Polished Brass Holder and Trim.
Glass: White on White. Recommended: 60 Watt.



G327 — 2 Lt.; 13" Dia.; 4½" Depth.
G328 — 3 Lt.; 15" Dia.; 4½" Depth.
FINISH: Holder White Enamel with Polished Brass Knob.
Glass: White. Recommended: 60 Watt.



G329 — 2 Lt.; 12½" Square; 4½" Depth.
G330 — 3 Lt.; 14½" Square; 4½" Depth.
FINISH: Holder White Enamel with Polished Brass Knob.
Glass: White. Recommended: 60 Watt.

LIGHTING FOR THE TRADITIONAL BEDROOM BY GLOBE





G302 — 3 Lt.; 16½" Dia.; 5" Depth. FINISH: Perforated Polished Brass Border. Glass: White with Pastel Pink Edge seen through Perforated Brass Border. Recommended: 60 Watt.



G337 — 3 Lt.; 14" Square; 4¼" Depth. G338 — 4 Lt.; 16" Square; 5" Depth. FINISH: Polished Brass Holder and Knob. Glass: Simulated Cut Crystal Pattern. Recommended: 60 Watt.



G339 — 4 Lt.; 16" Square; 5" Depth. FINISH: Polished Brass Holder and Knob. Glass: White with "Golden Ice" Design and Pastel Pink Center. Recommended: 60 Watt.



G340 — 2 Lt.; 13" Square; 5" Depth.
G341 — 3 Lt.; 15" Square; 5" Depth.
FINISH: Polished Brass.
Glass: White Simulated Cut Glass Design.
Recommended: 60 Watt.



G345 — 3 Lt.; 14" Square; 4¼" Depth. G346 — 4 Lt.; 16" Square; 5" Depth. FINISH: Polished Brass Holder and Knob. Glass: Simulated Cut Crystal Pattern. Recommended: 60 Watt.



G349 — 3 Lt.; 15" Dia.; 5¼" Depth.
G350 — 4 Lt.; 18" Dia.; 6" Depth.
FINISH: Polished Brass.
Glass: Glarex White. Recommended: 60 Watt.




G354 — 4 Lt.; 18" Dia.; 10½" Depth. FINISH: Polished Brass. Glass: White with "Golden Ice" Design Inside and Crystal Clear Beaded Outside. Recommended: 60 Watt.




G670 — 2 Lt.; 8½" Dia.; 4" Depth.
G671 — 2 Lt.; 10½" Dia.; 4" Depth.
G672 — 3 Lt.; 12½" Dia.; 4½" Depth.
G673 — 3 Lt.; 14½" Dia.; 4½" Depth.
FINISH: Polished Brass.
Glass: White Simulated Cut Glass Design.
Recommended: 60 Watt.



G347 — 3 Lt.; 12" Dia.; 4¼" Depth.
G348 — 4 Lt.; 14" Dia.; 4" Depth.
FINISH: Polished Brass.
Glass: White. Recommended: 60 Watt.



G351 — 3 Lt.; 13" Dia.; 5½" Depth. FINISH: White Baked Enamel with Brass Knob. Glass: White. Recommended: 60 Watt.





G274 — 3 Lt.; 13¼" Dia.; 6" Depth.
G273 — 2 Lt.; 9¼" Dia.; 5½" Depth.
FINISH: Satin Black and Polished Brass.
Glass: Glarex White. Recommended: 60 Watt.

G351

G352

G353





G355 — 4 Lt.; 12¼" Square; 4¾" Depth. FINISH: White Baked Enamel. Glass: White Sides — Glarex Bottom. Recommended: 60 Watt.

G356 — Same as above. FINISH: Pastel Pink.



G357

G358


G358 — 2 Lt.; 6¼" x 12¼" Oblong; 4¾" Depth. FINISH: Pastel Pink. Glass: White Sides — Glarex Bottom. Recommended: 60 Watt.

G357 — Same as above. FINISH: White Baked Enamel.






G359 — 1 Lt.; 20 Watt Fluorescent; 30" Length; 3½" Depth; Extends 3½" FINISH: Chrome Frame and Baked White Enamel Body. Equipped with ribbed plastic shield, pull switch control and convenience outlet.



GLOBE Lighting Products, Inc.



G364 — 2 Lt.; 40 Watt Rapid Start; 48½" Length; 7%" Width; 4¼" Depth. Recommended: 40 Watt T12 Rapid Start.

G366 — 4 Lt.; 20 Watt Trigger Start Fluorescent; 24½" Length; 13½" Width; 4½" Depth.
Recommended: 20 Watt T12 Fluorescent.

G368 — 4 Lt.; 40 Watt Rapid Start; 48½" Length; 13½" Width; 4½" Depth. Recommended: 40 Watt T12 Rapid Start. FINISH: White Baked Enamel

Body with Chrome Ends. Plastic: Milky White Ribbed Polystyrene.



Available for continuous mounting. Joining strap supplied instead of end plates when requested.



G372 — 3 Lt.; 14%" Dia.; 5" Depth. FINISH: Polished Aluminum. Glass: Opal White. Recommended: 60 Watt.



G371 — 3 Lt.; 12%" Dia.; 5" Depth. FINISH: Polished Aluminum. Glass: Opal White. Recommended: 60 Watt.

LIGHTING FOR KITCHEN AND BATHROOM BY GLOBE



G370 — 2 Lt.; 10%" Dia.; 4¾" Depth. FINISH: Polished Aluminum. Glass: Opal White. Recommended: 60 Watt.




G369 - 2 Lt.; 834" Dia.; 41/2" Depth. FINISH: Polished Aluminum. Glass: Opal White. Recommended: 60 Watt.



G380 — 1 Lt.; 20 Watt Trigger Start Fluorescent. 24½" Length; 4½" Width; 4¼" Depth. Recommended: 20 Watt T12 Fluorescent.

G388 — 1 Lt.; 40 Watt T12 Rapid Start. FINISH: White Baked Enamel Body with Chrome Ends. Plastic: Milky White Finely Ribbed Polystyrene.



Available for continuous mounting. Joining strap supplied instead of end plates when requested.


*G374 - 1 Lt.; 20 Watt Trigger Start Fluorescent. 24½" Length; 4½" Width; 4¼" Depth. Equipped with pull switch and convenience outlet. Recommended: 20 Watt T12 Flu-



*G382 — 1 Lt.; 40 Watt Rapid Start; 48½" Length; 4½" Width; 4¼" Depth. Equipped with pull switch and convenience outlet. Recommended: 40 Watt T12 Rapid Start. FINISH: White Baked Enamel Body with Chrome Ends. Plastic: Milky White Finely Ribbed Polystyrene. *Available less switch and/or convenience outlet. See price list.







*G374 — 1 Lt.; 20 Watt Trigger Start Fluorescent. 24½" Length; 4½" Width; 4¼" Depth. Equipped with pull switch and convenience outlet. Recommended: 20 Watt T12 Fluorescent.

*G382 — 1 Lt.; 40 Watt Rapid Start; 48½" Length; 4½" Width; 4¼" Depth. Equipped with pull switch and convenience outlet. Recommended: 40 Watt T12 Rapid Start. FINISH: White Baked Enamel Body with Chrome Ends. Plastic: Milky White Finely Ribbed Polystyrene.

G429 — 1 Lt.; 14 Watt Fluorescent; 181/8" Length; 3" Width; Extends 31/4". Equipped with turn switch and convenience outlet.

G430 — Same with turn switch less convenience outlet. FINISH: Chrome. Recommended: 14 Watt T12 Fluorescent.


*Available less switch and/or convenience outlet. See price list.



G374 G382



G390 G414 G398 G422 G406



* **G398** — 2 Lt.; 20 Watt Trigger Start Fluorescent; 24%" Length; 3%" Depth; Extends 5". Recommended: 20 Watt T12 Fluorescent.

* **G406** — 2 Lt.; 30 Watt Trigger Start Fluorescent; 36%" Length; 3%" Depth; Extends 5". Recommended: 30 Watt T8 Fluorescent.

*G414 — 2 Lt.; 40 Watt Rapid Start Fluorescent.

*G422 — 1 Lt.; 40 Watt Rapid Start Fluorescent.
48½" Length; 3¼" Depth; Extends 5". Recommended: 40 Watt T12 Rapid Start.
FINISH: White Baked Enamel with Chrome Ends. Plastic: Totally Enclosed
Milky White Ribbed Polystyrene. Top of plastic is smooth for simplified
maintenance. All above equipped with pull switch and convenience outlet.

G431 — 1 Lt.; 14 Watt Fluorescent; 18½" Length; 3¾" Width; Extends 4½". Equipped with turn switch and convenience outlet.

G432 — Same with turn switch less convenience outlet. FINISH: Chrome. Glass: Glarex White. Recommended: 14 Watt T12 Fluorescent.

G433 — 1 Lt.; 14 Watt Fluorescent; 18½" Length; 3¾ Width; Extends 4¼". — Equipped with turn switch and convenience outlet.


G434 — Same with turn switch less convenience outlet. FINISH: Chrome. Glass: Glarex White. Recommended: 14 Watt T12 Fluorescent.



G433 G434

LIGHTING FOR KITCHEN AND BATHROOM BY GLOBE


*Available less switch and/or convenience outlet. See price list.



G431

G432


*G447 — 2 Lt.; 11" Length; 4½" Depth; Extends 6". Equipped with pull switch and convenience outlet. FINISH: Chrome. Glass: Frosted Crystal Cylinder with Hilite Cut Serrated Rings.



*G443 — 2 Lt.; 12" Length; 5" Depth; Extends 4". Equipped with pull switch and convenience outlet. FINISH: Chrome. Glass: Glarex White. Recommended: 60 Watt.



*G439 — 4 Lt.; 25½" Length; 5" Depth; Extends 4". Equipped with pull switch and convenience outlet. FINISH: White Baked Enamel Holder with Chrome Ends. Glass: Glarex White. Recommended: 60 Watt.



*G451 — 2 Lt.; 141/2" Length; 51/2" Depth; Extends 43/4". Equipped with pull switch and convenience outlet.

*G455 — 4 Lt.; 24¾" Length; 4¾" Depth; Extends 4¾". Equipped with pull switch and convenience outlet. FINISH: White Baked Enamel and Chrome Knobs. Glass: Glarex White. Recommended: 60 Watt.



G479 — 2 Lt.; 54 Watt Instant Start Fluorescent. (1—32 Watt and 1—22 Watt). 13" Dia.; 4\%" Depth. FINISH: Chrome with White Baked Enamel Center Disk. Bulbs not supplied.



*G463 — 1 Lt.; 6¼" Depth; Extends 4¾"; Covers 4" Box. Equipped with turn switch and convenience outlet. FINISH: Chrome. Glass: Opal White. Recommended: 75 Watt.



G478 — 1 Lt.; 32 Watt Instant Start Fluorescent. 13" Dia.; 4%" Depth. FINISH: Chrome with White Baked Enamel Center Disk. Bulb not supplied.



*G471 — 1 Lt.; 7" Depth; Extends 4¾"; Covers 4" Box. Equipped with turn switch and convenience outlet. FINISH: Chrome. Glass: Opal White. Recommended: 75 Watt.



*G459 — 2 Lt.; 12%" Length; 4%" Depth; Extends 4%". Equipped with pull switch and convenience outlet. FINISH: Chrome. Glass: Glarex White. Recommended: 60 Watt.



*G467 — 1 Lt.; 5" Depth.
Extends 8"; Covers 4" Box.
Equipped with pull switch and convenience outlet.
FINISH: Chrome. Glass: White with Clear
Concentric Bottom Louvres.
Recommended: 75 Watt.



G475 — 1 Lt.; 6" Dia.; 4½" Depth.
G476 — 2 Lt.; 8" Dia.; 5½" Depth.
G477 — 2 Lt.; 10" Dia.; 5½" Depth.
FINISH: Chrome. Glass: White with
Clear Concentric Bottom Louvres.
Recommended: 60 Watt.



G480 — 3 Lt.; 13¼" Dia.; 4" Depth.
FINISH: Baked White Enamel.
Glass: White Sides with Glarex White bottom. Recommended: 60 Watt.



G482 — 4 Lt.; 14" Square; 4" Depth. FINISH: Chrome. Glass: Glarex White. Recommended: 60 Watt.



G314 — 4 Lt.; 17" Dia.; 4" Depth. FINISH: White Baked Enamel with Chrome Knob. Glass: White. Recommended: 60 Watt.




G481 — 3 Lt.; 12" Square; 4" Depth. FINISH: Chrome. Glass: Glarex White. Recommended: 60 Watt.



G313 — 3 Lt.; 16" Dia.; 4" Depth. FINISH: White Baked Enamel with Chrome Knob. Glass: White. Recommended: 60 Watt.




G483 — 4 Lt.; 16" Dia.; 4½" Depth. FINISH: Chrome Holder and Knob. Glass: White. Recommended: 60 Watt.




G353 — 3 Lt.; 13" Dia.; 5½" Depth. FINISH: All Polished Copper. Glass: White. Recommended: 60 Watt.

G352 — Same as above. FINISH: All Polished Brass.

G351 — Same as above.
FINISH: White Baked Enamel with Brass Knob.




G706 — 1 Lt.; Housing Size 6¾" x 8¾" Oblong; 4" Depth. Equipped with spaced pre-wired junction box. FINISH: White Baked Enamel. Recommended: 60 Watt. Illustrated with G715 Frame and Glass.




G708 — 1 Lt.; Housing Size 8¾" Square; 4" Depth. Recommended: 100 Watt.

G711 — 1 Lt.; Housing Size 11" Square; 4" Depth. Equipped with spaced pre-wired junction box. FINISH: White Baked Enamel. Recommended: 150 Watt. Illustrated with G825 Frame and Glass.



G606 — 1 Lt.; Housing Size 6¾" x 8¾" Oblong; 4" Depth. FINISH: White Baked Enamel. Recommended: 60 Watt. Illustrated with G735 Frame and Glass.



 $\textbf{G608} \longrightarrow 1$ Lt.; Housing Size $8\%^{\prime\prime}$ Square; $4^{\prime\prime}$ Depth. Recommended: 100 Watt.

G611 — 1 Lt.; Housing Size 11" Square; 4" Depth. FINISH: White Baked Enamel. Recommended: 150 Watt. Illustrated with G845 Frame and Glass.

All housings contain aluminum reflector and leveling angles.



Oblong	83/4" Sq.	11" Sq.	Finish
G715	G815	G915	Chrome
G716	G816	G916	Satin Copper
G717	G817	G917	Satin Brass
G718	G818	G918	Prime Coat
	Glass: Flat	Hand Carved Design	n



Oblong	83/4" Sq.	11" Sq.	Finish
G725	G825	G925	Chrome
G726	G826	G926	Satin Copper
G727	G827	G927	Satin Brass
G728	G828	G928	Prime Coat
	Glass: I	Bent Glarex White	



Oblong	83/4" Sq.	11" Sq.
G735	G835	G935
G736	G836	G936
G737	G837	G937
G738	G838	G938
	Glass:	Flat Opal White

Finish
Chrome
Satin Copper
Satin Brass
Prime Coat




Oblong	83/4" Sq.	11" Sq.	Finish
G745	G845	G945	Chrome
G746 '	G846	G946	Satin Copper
G747	G847	G947	Satin Brass
G748	G848	G948	Prime Coat
	Glass D	ron Moulded One	4l



G654 — 1 Lt. Recessed; $534^{\prime\prime}$ Dia.; $812^{\prime\prime}$ Depth; $734^{\prime\prime}$ Rim Dia.; $6^{\prime\prime}$ Plaster Ring Dia. Equipped with Plaster Ring and Louvre. FINISH: Satin Aluminum with White Baked Enamel Louvre. Recommended: 150 Watt R40.

G655 - Same less Louvre.



G658 — 4 Lt.; Housing 13¾" Square; 5" Depth; Frame 17¾" Square. FINISH: Wood Frame — Honey Beige; Reflector — Pastel Pink. Wood Scrolls — Honey Beige; Glass Frame — Satin Brass. Glass: Glarex White. Recommended: 40 Watt. Equipped with prewired junction box.



G657 — 1 Lt. Recessed; 5¾" Dia.; 8½" Depth; 7¾" Rim Dia.; 6" Plaster Ring Dia. Equipped with Plaster Ring. FINISH: Frame Polished Brass. Glass: Fresnel Type Lens. Recommended: 150 Watt R40.




G659 — 3 Lt.; Recessed Housing 121/2" Dia.; 5-9/16" Depth. FINISH: Polished Brass Knob. Glass: White with "Golden Glow" Ice Border. Recommended: 60 Watt.



G656 — 1 Lt. Recessed; 4½" Dia.; 6½" Depth; 7" Rim Dia. Equipped with plaster ring and rubber gasket for water seal protection. FINISH: Chrome. Glass: Cone Shape Moulded Opal. Recommended: 75 Watt R30.

G661 — 2 Lt.; 20 Watt Trigger Start Fluorescent; Recessed Box Size 67%" x 24" Oblong; 41/4" Depth; Frame Size 81/4" x 26". FINISH: Housing — White Baked Enamel. Frame — Chrome. Glass: Glarex White. Recommended: 20 Watt T12 Fluorescent.



The following procedures should be used in ordering RECESSED FIXTURES as illustrated on Page 32

First — Select the Housing desired from those shown at the left side of page 32 (disregard glass and frame that is part of the illustration)

Second — Glass and Frame assembly should be selected from the right side of Page 32 as follows:

(a) Select correct pattern glass (b) Select correct size of frame

(c) Select correct finish of frame

The number you select represents the Glass Pattern, the Frame Finish and Size of Frame.

FOR EXAMPLE:

You require an oblong box with a junction assembly, the ordering number is No. G-706

You require a flat opal white glass with a chrome frame, the ordering number is No.**G-735** Quan. Item Item Quan.

To list these items on an order, same must read — 24 — No. G-706 24 — No. G-735

These numbers represent a complete unit. For further information, please contact our Brooklyn Office.





G484 — 1 Lt.; 6¼" Dia.; 10½" Length; Extends 8¼". FINISH: Granodized Black and Brass. Glass: Frosted Cylinder. Recommended: 75 Watt.



G485 — 1 Lt.; 9" Dia.; 11¾" Length; Fits 3" Post. FINISH: Granodized Black and Brass Trim. Glass: Frosted Cylinder. Recommended: 100 Watt.



G281




G282 — 1 Lt.; 8%" Dia.; 8½" Depth. FINISH: Satin Black and Brass Trim. Glass: Frosted Cylinder. Recommended: 75 Watt.

G281 — Same as above. FINISH: Pastel Pink and Brass Trim.




G486 — 1 Lt.; 9½" Square; 15½" Length; Fits 3" Post. FINISH: Granodized Black with Polished Brass Trim. Glass: Frosted. Recommended: 150 Watt.





G488 — 1 Lt.; 8" Depth; 6½" Width; Extends 4¾". Equipped with Hinged Top. FINISH: Granodized Black. Glass: Glarex White. Recommended: 75 Watt.



G491 — 1 Lt.; 9¾" Length; 4½" Width; 3¾" Depth. FINISH: Granodized Black with Brass Trim. Glass: Glarex White. Recommended: 75 Watt.



G489 — 1 Lt.; 10" Length; 5½" Depth; Extends 5½". Equipped with Hinged Top. FINISH: Granodized Black. Glass: Glarex White. Recommended: 75 Watt.



G490 — 1 Lt.; 13" Dia.; $11\frac{1}{2}$ " Length; Fits 3" Post. FINISH: Satin Copper and Black Trim. Glass: Opal White. Recommended: 100 Watt.



G487 — 1 Lt.; 9¼" Square; 16½" Length For Mounting on Platform Type Post. FINISH: Granodized Black with Polished Brass Trim. Glass: Frosted. Recommended: 150 Watt.



G494 — 1 Lt.; 6¾" Square; 15½" Length; Extends 7". FINISH: Granodized Black with Brass Trim with Chrome Rear Reflector. Glass: Clear Thick Bevelled Crystal.



G495 — 1 Lt.; 9" Width; 9½" Length. Extends 4½". FINISH: Granodized Black with Brass Trim. Glass: Frosted. Recommended: 60 Watt.



G498 — 1 Lt.; 6" Dia.; 11¾" Length; Extends 6¼". FINISH: Granodized Black and Polished Brass Trim. Glass: Opal White. Recommended: 75 Watt.



G499 — 1 Lt.; 9" Width; 8" Length; Extends 4½". FINISH: Granodized Black with Chrome Rear Reflector.
Glass: Front — Clear Thick Bevelled Crystal with Clear Hand Mitered Design. Sides and Bottom — Frosted.
Recommended: 75 Watt.



G602 — 1 Lt.; 6½" Square; 8½" Length; Extends 7¼". Bevelled glass bottom door is hinged for maintenance.
FINISH: Granodized Black with Brass
Knobs and Chrome Rear Reflector.
Glass: Sides and Bottom Clear Thick
Bevelled Crystal. Recommended: 60 Watt Clear.



G600 — 1 Lt.; 8" Tapered Square; 3¼" Depth.
G601 — 2 Lt.; 10" Tapered Square;
3¾" Depth. FINISH: Granodized Black with
Brass Knobs. Glass: Hand Carved
Translucent Pebble. Recommended: 60 Watt.



G496 — 1 Lt.; 8" Tapered Square; 9" Length; Extends 9"; Covers 4" Box; Lower Section Removable for Simplified Maintenance. FINISH: Granodized Black and Brass. Glass: Hand Carved Clear. Recommended: 60 Watt.



G603 — 1 Lt.; 6½" Square; 9" Depth. Bevelled glass bottom door is hinged for maintenance. FINISH: Granodized Black with Brass Knobs. Glass: Sides and Bottom Clear Thick Bevelled Crystal. Recommended: 60 Watt Clear.



G497 — 1 Lt.; 8" Tapered Square; 9¼" Depth. Lower Section Removable for Simplified Maintenance. FINISH: Granodized Black and Brass. Glass: Hand Carved Clear. Recommended: 60 Watt.



G607 — 1 Lt.; 9¾" Square Tapered; 19¼" Length. Fits 3" Post. FINISH: Granodized Black with Brass Trim. Glass: Clear with Hand Carved Design. Chimney — Frosted with Clear Top. Recommended: 100 Watt.



G610 — 1 Lt.; 9" Square Tapered; 16%" Length. For mounting on platform Type Post. FINISH: Granodized Black with Brass Trim. Glass: Clear with Hand Carved Border. Recommended: 100 Watt.



G613 — 1 Lt.; 7¼" Square; 8¼" Depth. FINISH: Granodized Black with Brass Knobs Glass: Clear with Hand Carved Design. Recommended: 60 Watt.



G604 — 1 Lt.; 9¾" Square Tapered; 19¼" Length. Fits 3" Post. FINISH: Granodized Black with Brass Trim. Glass: Clear with Hand Carved Design. Chimney — Frosted with Clear Top. Recommended: 100 Watt.




G612 — 1 Lt.; 7¼" Square; 7¾" Length. Extends 8½". FINISH: Granodized Black with Brass Knobs. Glass: Clear with Hand Carved Design. Recommended: 60 Watt.



G609 — 1 Lt.; 9" Square Tapered; 16" Length. Fits 3" Post. FINISH: Granodized Black with Brass Trim. Glass: Clear with Hand Carved Border Recommended: 100 Watt.



G605 — 1 Lt.; 9¾" Square Tapered; 20¼" Length. For Mounting on Platform Type Post. FINISH: Granodized Black with Brass Trim. Glass: Clear with Hand Carved Design. Chimney — Frosted with Clear Top. Recommended: 100 Watt.





G638 G639

G638 — 1 Lt. FINISH: Winter White with Polished Brass Trim.

G639 — FINISH: Satin Black with Polished Brass Trim.

G640 — FINISH: All Lustre Brass. All Equipped with 10 Ft. Cord and Plug and Turn Switch.

G633 — 1 Lt. Equipped with Turn Switch. FINISH: Satin Black with Polished Brass Trim.

G632 — FINISH: Winter White with Polished Brass Trim.

G634 — FINISH: All Lustre Brass.

G635 — Winter White with 10 Ft. Cord and Plug for use as Pin-up.

G636 - Satin Black with 10 Ft. Cord and Plug.

G637 — All Lustre Brass with 10 Ft. Cord and Plug.

ALL-PURPOSE LIGHTING BY GLOBE



G641 — 1 Lt.; Cone Length including Switch knob 9%''; Mouth 5%'' Wide. Extends 12%'' Max. Bracket Back 4%'' Wide. FINISH: Winter White with Polished Brass Trim. Recommended: 75 Watt.

G642 — Same as above. FINISH: Satin Black with Brass Trim.

G643 — Same as above. FINISH: All Lustre Brass.

G644 — Winter White with 10 Ft. Cord and Plug for use as Pin-up.

G645 - Satin Black with 10 Ft. Cord and Plug.

G646 — All Lustre Brass with 10 Ft. Cord and Plug.




G221 — 1 Lt.; 10¼" dia.; 12½" Length. Extends 11". FINISH: Lustre Brass and Winter White. Recommended: 100 Watt Regular or 75 Watt R30.

G321 — Same as above, but with 10-foot cord and plug.



G653 — 2 Lt.; Extends 11".
Reflector Length 14". Covers 4" Box.
Equipped with Three-way Switch and
adjustable Swivel. FINISH: Lustre Brass.
Equipped with White Perforated Metal
Diffuser in Lower Reflector Section.

G753 — Same as above, but with 10-foot cord and plug.



G649 — 2 Lt.; Cone Length including Switch Knob 9¼"; Mouth 5¼" Wide. Extends 12½" Max. Overall Normal Position Width 16½". FINISH: All Lustre Brass. Recommended: 75 Watt.

G648 — Same as above. FINISH: Satin Black with Polished Brass Trim.

G647 — Same as above. FINISH: Winter White with Polished Brass Trim.

G650 — White with 10 Ft. Cord and Plug for use as Pin-up.

G651 - Satin Black with 10 Ft. Cord and Plug.


G652 — All Lustre Brass with 10 Ft. Cord and Plug.




Globe "Profitmaker" Displays come to you complete — prewired and ready for easy assembly and fixture installation. Selection "H" is illustrated. For other available selections see price list.

"Profitmaker" is designed to sell fixtures faster. Your silent salesman, it attracts customer traffic both day and night...takes no floor or counter space, but makes a profit from your idle wall space.

Ceiling Display available upon request
For further information, please contact our Brooklyn Office.







effective September 15, 1957

A COMPILATION OF 4 PRICE LISTS

NOTICE

INFORMATION other than Catalog Numbers and Prices in this price list can be found in the following catalogs and folders . . .

R-150 CATALOG
R-150S Supplement CATALOG
P-157 Recessed BROCHURE
R-159 Postlight FOLDER

price list P152

SUPERSEDES ALL PREVIOUS PRICE LISTS

For The R-150 Catalog • Pages 1 thru 7 & 10

For The R-150S Supplement Catalog • Pages 11 & 12

For The R-157 Brochure • Pages 7 thru 9

For The R-159 Brochure • Page 9


GLOBE

Lighting Products Inc.

plants and offices

1710 FLUSHING AVENUE BROOKLYN 37, N. Y. HYACINTH 7-7000

1500 S. SANTA FE AVENUE LOS ANGELES 27, CALIFORNIA





residential

16 EAST 40TH STREET NEW YORK 16, N. Y. MURRAY HILL 6-2206

LIST PRICE

CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE	CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE
G200	2	14 lbs.	69.90	G237	3	8 lbs.	28.15
G201	2	9 lbs.	44.90	G238	6	3 lbs.	10.65
G202	2	11 lbs.	54.90	G239	3	11 lbs.	34.90
G203	2	11½ lbs.	64.90	G240	6	21/4 lbs.	8.15
G204	3	81/2 lbs.	41.25	G241	2	71/2 lbs.	47.40
G205	3	21/2 lbs.	13.15	G242	3	81/2 lbs.	22.40
G206	2	12½ lbs.	71.25	G243	3	7 lbs.	32.40
G207	3	5 lbs.	20.65 🗸	G244	3	8 lbs.	44.90
G208	3	8 lbs.	42.40	G245	3	81/2 lbs.	39.90
G209	3	8 lbs.	42.40	G246	2	11 lbs.	58.75
G210	2	11 lbs.	63.15	G247	3	4 lbs.	19.90
G211	3	10 lbs.	26.25	G248	3	3 lbs.	16.90
G213	2	121/2 lbs.	68.75	G249	3	8 lbs.	29.90
G214	3	2¾ lbs.	17.40	G250	3	8 lbs.	29.90
G216	2	14 lbs.	82.40	G251	3	8 lbs.	26.90
G217	3	21/4 lbs.	13.15	G252	3	81/2 lbs.	39.90
G218	2	11½ lbs.	66.25	G253	3	81/2 lbs.	39.90
G219	2	13 lbs.	43.75	G254	3	81/2 lbs.	36.90
G220	2	8½ lbs.	56.25	G255	4	6 lbs.	16.90
G221	3	51/4 lbs.	20.00	G256	4	6 lbs.	16.90
G321	3	51/2 lbs.	20.65	G257	4	6 lbs.	19.40
G222	2	10 lbs.	54.40	G258	4	6½ lbs.	27.40
G223	6	3 lbs.	11.90	G259	4	61/2 lbs.	27.40
G224	2	101/2 lbs.	44.90	G260	4	61/2 lbs.	29.90
G225	2	10½ lbs.	44.90	G261	2	14 lbs.	62.40
G226	3	191/2 lbs.	43.75	G262	2	14 lbs.	62.40
G227	2	11 lbs.	64.40	G263	2	11 lbs.	44.90
G228	2	11 lbs.	64.40	G264	2	11 lbs.	45.65
G229	3	21/2 lbs.	16.25	G265	2	14 lbs.	61.25
G230	3	2½ lbs.	16.25	G267	3	11 lbs.	34.90
G231	2	11 lbs.	64.40	G268	3	11 lbs.	34.90
G232	4	8 lbs.	23.75	G269	3	11 lbs.	37.40
G233	4	8 lbs.	23.75	G270	3	31/2 lbs.	15.00
G234	4	8 lbs.	26.90	G271	3	3 lbs.	17.40
G235	3	8 lbs.	31.25	G272	13	3 lbs.	17.40
G236	3	8 lbs.	31.25	G273	6	31/3 lbs.	12.40

CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE	3	CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE
G274	3	6 lbs.	16.90		G310	12	4¾ lbs.	6.50
G275	6	21/4 lbs.	7.75		G311	6	31/4 lbs.	6.90
G276	6	21/4 lbs.	7.75		G312	6	42/3 lbs.	9.40
G277	4	3 lbs.	14.40		G313	4	7 lbs.	13.15
G278	4	41/3 lbs.	17.15		G314	3	8 lbs.	18.75
G279	12	21/4 lbs.	5.65		G315	3	51/2 lbs.	11.90
G280	12	2 lbs.	6.25		G316	6	51/2 lbs.	12.40
G281	3	5 lbs.	18.75		G317	6	5 lbs.	12.40
G282	3	5 lbs.	18.75		G318	3	8 lbs.	31.25
G283	3	5 lbs.	16.90		G319	6	41/3 lbs.	9.15
G284	3	5 lbs.	17.90		G320	3	6 lbs.	11.90
G285	6	21/4 lbs.	13.75		G321	3	51/2 lbs.	20.65
G286	3	8 lbs.	29.90		G327	12	31/3 lbs.	6.65
G287	2	10½ lbs.	39.40		G328	12	42/3 lbs.	8.15
G288	3	8 lbs.	29.40		G329	12	4 lbs.	6.65
G289	4	51/2 lbs.	19.90		G330	12	5 lbs.	8.15
G290	3	51/2 lbs.	29.90		G331	6	51/3 lbs.	12.40
G291	2	6½ lbs.	39.40		G332	6	51/3 lbs.	12.40
G292	4	3 lbs.	17.40		G333	6	32/3 lbs.	9.40
G293	4	31/2 lbs.	15.65		G334	3	6 lbs.	12.40
G294	4	5 lbs.	17.40		G335	3	12 lbs.	18.75
G295	6	21/4 lbs.	7.75		G336	. 3	12 lbs.	21.25
G296	3	9 lbs.	31.25		G337	6	41/4 lbs.	8.15
G297	2	12 lbs.	36.25		G338	3	6 lbs.	10.65
G298	3	61/2 lbs.	28.75		G339	3	6 lbs.	11.25
G299	2	111/2 lbs.	33.75		G340	6	4 lbs.	6.90
G300	2	9 lbs.	24.90		G341	6	5 lbs.	8.40
G301	4	5 lbs.	18.75		G345	6	41/3 lbs.	8.15
G302	3	52/3 lbs.	18.75		G346	3	6 lbs.	10.65
G303	3	9 lbs.	26.25		G347	3	5 lbs.	19.40
G304	3	5 lbs.	17.40		G348	3	7 lbs.	21.65
G305	2	7 lbs.	22.40		G349	6	4¾ lbs.	10.90
G306	3	7 lbs.	18.75		G350	3	71/2 lbs.	17.90
G307	12	3 lbs.	4.15		G351	6	51/2 lbs.	11.90
G308	12	5 lbs.	5.90		G352	6	51/2 lbs.	14.40
G309	12	31/3 lbs.	4.40		G353	6	51/2 lbs.	14.40
					G354	2	10 lbs.	34.40

CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE	CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE
G355	3	9 lbs.	14.40	G393	4	81/2 lbs.	25.15
G356	3	9 lbs.	14.40	G394	4	81/2 lbs.	30.15
G357	3	6 lbs.	11.90	G395	4	81/2 lbs.	24.50
G358	3	6 lbs.	11.90	G396	4	81/2 lbs.	29.50
G359	3	6 lbs.	17.40	G397	4	10 lbs.	26.15
G360	3	6 lbs.	17.00	G398	4	10 lbs.	31.15
G361	4	101/2 lbs.	26.75	G399	4	10 lbs.	25.50
G362	4	101/2 lbs.	31.75	G400	4	10 lbs.	30.50
G363	3	191/2 lbs.	41.25	G401	4	10 lbs.	25.75
G364	3	191/2 lbs.	43.15	G402	4	10 lbs.	30.75
G365	3	22 lbs.	39.25	G403	4	10 lbs.	25.15
G366	3	22 lbs.	46.75	G404	4	10 lbs.	30.15
G367	2	33 lbs.	65.65	G405	3	14 lbs.	38.15
G368	2	33 lbs.	69.40	G406	3	14 lbs.	43.15
G369	6	31/3 lbs.	9.90	G407	3	14 lbs.	37.50
G370	6	4 lbs.	13.15	G408	3	14 lbs.	42.25
G371	3	5 lbs.	16.25	G409	3	14 lbs.	37.75
G372	3	7 lbs.	19.90	G410	3	14 lbs.	42.75
G373	4	8 lbs.	22.40	G411	3	14 lbs.	37.15
G374	4	8 lbs.	24.90	G412	3	14 lbs.	42.15
G375	4	8 lbs.	21.75	G413	3	141/2 lbs.	42.65
G376	4	8 lbs.	24.25	G414	3	141/2 lbs.	44.00
G377	4	8 lbs.	22.00	G415	3	141/2 lbs.	42.00
G378	4	8 lbs.	24.50	G416	3	141/2 lbs.	43.40
G379	4	8 lbs.	20.40	G417	3	141/2 lbs.	42.25
G380	4	8 lbs.	22.90	G418	3	141/2 lbs.	43.65
G381	3	121/2 lbs.	32.40	G419	3	141/2 lbs.	41.65
G382	3	121/2 lbs.	34.25	G420	3	141/2 lbs.	43.00
G383	3	121/2 lbs.	31.75	G421	3	13 lbs.	32.75
G384	3	12½ lbs.	33.65	G422	3	13 lbs.	34.15
G385	3	121/2 lbs.	32.00	G423	3	13 lbs.	32.15
G386	3	121/2 lbs.	33.90	G424	3	13 lbs.	33.50
G387	3	121/2 lbs.	30.00	G425	3	13 lbs.	32.40
G388	3	121/2 lbs.	31.90	G426	3	13 lbs.	33.75
G389	4	81/2 lbs.	25.40	G427	3	13 lbs.	31.75
G390	4	81/2 lbs.	30.40	G428	3	13 lbs.	33.15
G391	4	81/2 lbs.	24.90	G429	6	21/2 lbs.	8.65
G392	4	81/2 lbs.	29.90	G430	6	21/2 lbs.	8.25

CATALOG NUMBER	APPROX. SHIP WEIGHT EA	PRICE		CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE
G431 6	4 lbs.	12.40		G469	12	2 lbs.	4.40
G432 6	4 lbs.	12.00		G470	12	2 lbs.	3.75
G433 6	4 lbs.	12.40		G471	6	12/3 lbs.	8.40
G434 6	4 lbs.	12.00		G472	6	12/3 lbs.	7.75
G435 3	7 lbs.	21.25		G473	5	12/3 lbs.	8.00
G436 3	7 lbs.	20.65		G474	6	12/3 lbs.	7.40
G437 3	7 lbs.	20.90		G475	12	21/4 lbs.	4.90
G438 3	7 lbs.	20.25		G476	12	3¾ lbs.	6.15
G439 4	5 lbs.	18.15		G477	6	5¾ lbs.	7.75
G440 4	5 lbs.	17.50		G478	6	6 lbs.	12.40
G441 4	5 lbs.	17.75		G479	6	61/2 lbs.	16.40
G442 4	5 lbs.	17.15		G480	6	61/4 lbs.	14.90
G443 6	21/3 lbs.	9.40		G481	4	7 lbs.	18.75
G444 6	21/3 lbs.	8.75		G482	3	8 lbs.	22.40
G445 6	21/3 lbs.	9.00		G483	6	6 lbs.	11.25
G446 6	21/3 lbs.	8.40		G484	3	7 lbs.	27.40
G447 3	3 lbs.	11.90		G485	2	10½ lbs.	31.25
G448 3	3 lbs.	11.25		G486	2	9 lbs.	26.90
G449 3	3 lbs.	11.50		G487	2	91/2 lbs.	28.90
G450 3	3 lbs.	10.90		G488	6	3 lbs.	10.65
G451 6	21/2 lbs.	8.75		G489	6	3 lbs.	12.50
G452 6	21/2 lbs.	8.15		G490	3	8 lbs.	24.90
G453 6	21/2 lbs.	8.40		G491	6	3 lbs.	8.15
G454 6	21/2 lbs.	7.75		G492	6	3 lbs.	10.65
G455 4	41/2 lbs.	14.40		G494	2	61/2 lbs.	23.75
G456 4	41/2 lbs.	13.75		G495	6	52/3 lbs.	13.75
G457 4	4½ lbs.	14.00		G496	6	4 lbs.	12.40
G458 4	41/2 lbs.	13.40		G497	3	3 lbs.	11.25
G459 6	3 lbs.	10.25		G498	6	4 lbs.	13.15
G460 6	3 lbs.	9.65		G499	4	41/2 lbs.	16.25
G461 6	3 lbs.	9.90		G600	12	3¾ lbs.	5.25
G462 6	3 lbs.	9.25		G601	6	4¾ lbs.	6.90
G463 12	12/3 lbs.	5.65		G602	3	31/2 lbs.	13.40
G464 12	12/3 lbs.	5.00	1	G603	3	31/3 lbs.	13.40
G465 12	12/3 lbs.	5.25		G604	2	8 lbs.	24.15
G466 12	12/3 lbs.	4.65		, G605	2	9 lbs.	26.25
G467 12	2 lbs.	4.75		G607	2	8 lbs.	25.65
G468 12	2 lbs.	4.15		G609	4	6 lbs.	16.65

	ER C	ITY D	SHIP.	P	RICE		LOG	ARD	SHIP	P	RICE
	NUMBER	STANDARD	APPROX. SHIP WEIGHT EA				CATALOG	STANDARD	APPROX. SHIP WEIGHT EA		
_			A T			-	-		Z	-	00.75
	G610	2	61/2 lbs.		18.15		G652	2	41/3 lbs.		33.75
	G612	6	31/3 lbs.		9.40		G653	2	5 lbs.		38.75
	G613 .	3	31/3 lbs.		9.15		G654	12	32/3 lbs.		7.40
	G614	6	12/3 lbs.		9.40		G655	12	32/3 lbs.		6.75
	G615	6	12/3 lbs.		9.40		G656	6	21/2 lbs.		8.15
	G616	3	12/5 lbs.		11.25		G657	6	4 lbs.		9.90
	G617	6	2 lbs.		10.00		G658	2	15 lbs.		41.25
	G618	6	2 lbs.		10.00		G659	2	12 lbs.		27.40
	G619	3	2 lbs.		11.90		G660	3	16 lbs.		28.75
	G620	4	3 lbs.		17.40		G661	3	16 lbs.		33.75
	G621	4	3 lbs.		17.40		G662	3	10 lbs.		27.40
	G622	3	3 lbs.		20.90		G663	3	10 lbs.		27.40
	G623	4	31/3 lbs.		18.00		G664	3	11 lbs.		39.90
	G624	4	31/3 lbs.		18.00		G665	3	11 lbs.		39.90
	G625	3	31/3 lbs.		21.50		G666	2	14 lbs.		47.40
	G626	3	31/2 lbs.		24.90		G667	2	14 lbs.		47.40
	G627	3	31/2 lbs.		24.90		G668	3	6 lbs.		19.90
	G628	2	31/2 lbs.		29.90		G669	2	10½ lbs.	•	26.25
	G632	3	3 lbs.		17.40		G670	6	22/3 lbs.		8.75
	G633	3	3 lbs.		17.40 ·		G671	6	31/3 lbs.		10.65
	G634	2	3 lbs.		19.25		G672	3	5 lbs.		13.75
	G635	3	31/3 lbs.		18.00		G673	3	6 lbs.		16.25
	G636	3	31/3 lbs.		18.00		G674	6	23/3 lbs.		8.75
	G637	2	31/3 lbs.		19.90		G675	6	22/3 lbs.		8.75
	G638	3	6 lbs.		22.40		G676	6	31/3 lbs.		10.65
	G639	3	6 lbs.		22.40		G677	6	31/3 lbs.		10.65
	G640	2	6 lbs.		25.50		G678	3	5 lbs.		13.75
	G641	3	2 lbs.		16.90		G679	3	5 lbs.		13.75
	G642	3	2 lbs.		16.90		G680	3	6 lbs.		16.25
	G643	2	2 lbs.		18.75		G681	3	6 lbs.		16.25
			- 1.00								
	G644	3	21/3 lbs.		17.50		G682	6	21/2 lbs.		6.15
	G645	, 3	21/3 lbs.		17.50		G683	3	16 lbs. •		25.40
	G646	2	21/3 lbs.		19.40		G684	3	16 lbs.		30.40
	G647	3	4 lbs.		29.40		G753	2	5 lbs.		39.40
	G648	3	4 lbs.		29.40		G801	3	5 lbs.		18.75
	G649	2	4 lbs.		33.15		G802	2	11 lbs.		54.90
	G650	3	41/3 lbs.		30.00		G803	2	11½ lbs.		64.90
1	G651	3	41/3 lbs.		30.00		G804	2	8 lbs.		41.25
_	4031	,	773 103.						0 100]

CATALOG	STANDARD QUANTITY APPROX. SHIP WEIGHT EA.	PRICE	CATALOG NUMBER STANDARD QUANTITY APPROX. SHIP WEIGHT EA	PRICE
G805 G885 G901 G902	3 2½ lbs. 3 2½ lbs. 2 16 lbs. 2 16 lbs.	13.15 13.75 64.90 64.90	G903 2 16 lb: G904 2 16 lb: G905 2 16 lb	s. 54.90
W -	77 1			1 4 6
			* [

RECESSED LIGHTING

HOUSING

FRAME AND GLASS ASSEMBLIES

DESCRIPTION NUMBER OF LIGHTS	ILLUSTRATION	CATALOG NO.	-	FINISH	STANDARD QUANTITY	APPROX. SHIP. WEIGHT EACH	PRICE	(
	OBLONG	G715	>	CHROME	3	1½ lbs.	5.40	
Tool !	Maria	G716	ONL	SATIN COPPER	3	11/2 lbs.	5.40	
3		G717	0	SATIN BRASS	3	11/2 lbs.	5.40	
	Glass: Flat Hand Carved De	G718	IES	PRIME COAT	3	11/2 lbs.	3.40	
G606 Housing Only.	312	G725 G726	SSEMBLIES	- CHROME	3	1¾ lbs.	6.65	
1 Lt.; Housing Size 63/4" x 834" Oblong; 4" Depth. Less		G727	E	SATIN COPPER	3	13/4 lbs.	6.65	
Junction Box. FINISH: White Baked Enamel.	Glass: Bent Glarex White	0720	ASS	PRIME COAT	3	1¾ lbs. 1¾ lbs.	6.65 4.65	
Recommended: 60 Watt.		G735	155	CHROME	3	1½ lbs.	5.40	
		G736	GLA	SATIN COPPER	3	11/2 lbs.	5.40	
		G737		SATIN BRASS	3	1½ lbs.	5.40	
	Glass: Flat Opal White.	G738	AND	PRIME COAT	3	1½ lbs.	3.40	
		G745	: ш	CHROME	3	2 lbs.	8.40	
1706 Housing Only. 1 Lf.; Housing Size 63/4" x	4	► G746	RAM	SATIN COPPER	3	2 lbs.	8.40	
834" Oblong; 4" Depth.		G747 G748	2	SATIN BRASS	3	2 lbs.	8.40	
Equipped with spaced pre- wired Junction Box.	Glass: Drop Moulded Opa	1.	ш.	PRIME COAT	3	2 lbs.	6.65	
FINISH: White Baked Enamel. Recommended: 60 Watt.	HOUSING	G606 G706		WHITE HOUSI ONLY	NG 3	31/2 lbs. 4 lbs.	4.40 5.90	
	8¾" SQUARE		FOR G60	6 AND G706 HOUSING	ONLY.			
	0-74 SUUARE	G815	7	CHROME	6	13/4 lbs.	5.75	
	(36)	G816	ONL	SATIN COPPER	6	1¾ lbs.	5.75	
(日本3)		G817		SATIN BRASS	6	1¾ lbs.	5.75	
	Glass: Flat Hand Carved De		SSEMBLIES	PRIME COAT	6	1¾ ibs.	3.75	
608 Housing Only.		G825	<u> </u>	CHROME	6	2 lbs.	7.00	
1 Lt.; Housing Size 834" Square; 4" Depth.		G826	Σ	SATIN COPPER	6	2 lbs.	7.00	
FINISH: White Baked Enamel. Recommended: 100 Watt.		G827 G828	SS	SATIN BRASS	6 .	2 lbs.	7.00	
Recommended: 100 Watt.	Glass: Bent Glarex White.		< <	PRIME COAT	6	2 lbs.	4.90	
All Housings contain Aluminum Reflector and	4	G835	GLASS	CHROME	6	1¾ lbs.	5.75	
Leveling Angles		G836	5	SATIN COPPER	6	1¾ lbs.	5.75	
		G837		SATIN BRASS	6	1¾ lbs.	5.75	
	Glass: Flat Opal White.	G838	AND	PRIME COAT	6	1¾ lbs.	3.75	
		G845		CHROME	6	21/4 lbs.	9.15	
708 Housing Only.		G846 > G847	ž	SATIN COPPER	6	21/4 lbs.	9.15	
1 Lt.: Housing Size 83/4"		G848	FRAME	SATIN BRASS	6	21/4 lbs.	9.15	
Square; 4" Depth. Equipped with spaced pre-wired	Glass: Drop Moulded Opa	l	正	PRIME COAT	6	21/4 lbs.	7.00	
Junction box. FINISH: White Baked Enamel. Recommended: 100 Watt.	HOUSING	G608 G708		WHITE HOUSI	ING 6	4 lbs. 4½ lbs.	4.90 6.50	
			FOR G60	8 AND G708 HOUSING	ONLY.		5.53	
	11" SQUARE	G915	7	CHROME	3	21/2 lbs.	7.15	
	(delas)	G916	ONLY	SATIN COPPER	3	21/2 lbs.	7.15	
THE 3		G917		SATIN BRASS	3	21/2 lbs.	7.15	
CII	Glass: Flat Hand Carved Des	ign. G918	ASSEMBLIES	PRIME COAT	3	21/2 lbs.	4.65	
611 Housing Only.		G925	181	CHROME	3	2¾ lbs.	8.40	
1 Lt.; Housing Size 11" Square; 4" Depth. FINISH: White Baked Enamel.		G926	E S	SATIN COPPER	3	2¾ lbs.	8.40	
FINISH: White Baked Enamel. Recommended: 150 Watt.		G927	SS	SATIN BRASS	3	2¾ lbs.	8.40	
All Housings contain	Glass: Bent Glarex White.			PRIME COAT	3	2¾ lbs.	5.90	
All Housings contain Aluminum Reflector and Leveling Angles.		G935	GLASS	CHROME	3	21/2 lbs.	7.15	
Leveling Angles.		G936	7	SATIN COPPER	3	21/2 lbs.	7.15	
	Class Flat and white	G937 G938		PRIME COAT	3	2½ lbs. 2½ lbs.	7.15 4.65	
	Glass: Flat Opal White.	0045	AND					
		G945 G946		CHROME	3	31/4 lbs.	13.15	
711 Housing Only.	4	G945	FRAME	SATIN COPPER	3	31/4 lbs.	13.15	
1 Lt.; Housing Size 11"		G948	A.	SATIN BRASS	3	31/4 lbs.	13.15	
Square: 4" Depth Fouringed		UTU		PRIME COAT	3	374 105.	10.65	
Square; 4" Depth. Equipped with spaced pre-wired	Glass: Drop Moulded Opal			WILLITE HOLLS	NO -	P 15-		
1 Lt.; Housing Size 11" Square; 4" Depth. Equipped with spaced pre-wired Junction Box. FINISH: White Baked Enamel. Recommended: 150 Watt.	HOUSING	CC11		WHITE HOUSI	NG 3	5 lbs. 5½ lbs.	5.65 7.25	

LOOK FOR THIS DISPLAY

Look for this new display in our showroom—and when you see it give it close inspection -because here is the new line that won first place in recent installation speed tests. Globe's design engineers consulted time-conscious contractors to help develop patented features which really save installation time on the job-and time saved is money saved! These fixtures incorporate "prismatic reflectors" and therefore reflect more light and furnish extra lighting performance. Globe's new recess line is also

easiest to maintain—easiest

to re-lamp.



THE GLOBE RECESSED DISPLAY...

shown above comes complete with wire harness and switches (separate switch for each panel) holds the following fixtures:

CATALOG NUMBER	STANDARD PACKAGE	STD. PKG. PRICE	CATALOG NUMBER	STANDARD PACKAGE	STD. PKG. PRICE
O G654	12	\$7.40	③ G606* or	3	\$4.40
2 G655	12	6.75	G706*	3	5.90
3 G656	6	8.15	⊙ G608* or	6	4.90
@ G657	6	9.90	G708*	6	6.50
9 6682	6	6.15	@ G608* or	6	4.90
⊘ G660**	3	28.75	G708*	6	6.50
⊘ G683**	3	25.40	@ G611* or	3	5.65
			G711*	3	7.25

^{*}Refer to Page 7 for prices and description of glass and frame assemblies for these units.

**Available Trigger Start—see Page 5

RECESSED DISPLAY

(cont'd from Page 8)

A. When \$300 or more (of recess fixtures) is ordered, a display will be sent at no charge (when specified on order



B. When a display is ordered with only one of each fixture to be put into the display, the price schedule is as follows:

Selection X	Selection Y	Selection Z
Prewired Only	Standard Only	Combination (Std. & Prewired
G654	G654	G654
G655	G655	G655
G656	G656	G656
G657	G657	G657
G682	G682	G682
G661	G661	G661
G684	G684	G684
G706	G606	G606
G715	G715	G715
G708	G608	G708
G826	G826 ·	G826
G708	G608	G608
G837	G837	G837
G711	G611 -	G711
G948	G948	G948
\$169.65	\$163.25	\$166.50

For R-159 Folder Outdoor lighting

NUMBER DESCRIPTION	STANDARD QUANTITY	APPROX. SHIP WEIGHT EA	PRICE
GP10-POST	6	6¼ lbs.	16.25
GP20-POST	6	6¼ lbs.	16.90
GP30-POST	4	15 lbs.	17.40
GP40—POST	2	29 lbs.	34.90
GP50-DISPLAY STAND	1	14 lbs.	19.90
GP60 - DISPLAY STAND "TREE"	- 1	65 lbs.	62.40
GP70-BRACKET and BOARD	6	2 lbs.	7.40
GP71-BRACKET and BOARD	6	3 lbs.	8.65
GP51— DISPLAY STAND and Selection		200 lbs.	392.40
GP61-DISPLAY STAND "TREE" and Selection		170 lbs.	356.90
		1	

Globe "Profitmakers"



- Globe "Profitmakers" come complete. Consist of:
- 1. Prewired display plus installation material.
- 2. Display fixtures ready for easy ceiling assembly plus a back-up stock.

Wall Bracket Display

wan	Brack	rei Dia	piay
SELECTION "H"	SELECTION "I"	SELECTION "J"	SELECTION "K"
SPOTLITES	OUTDOOR	BATH	BATH
2-G614	2-G498	3-G463	2-G459
2-G621	2-G495	3-G439	2-G398
2-G221	2-G612	3-G471	2-G431
2-G633	2-G496	3-G467	2—G433
2-G643	2-G494	3-G455	2-G443
2-G626	2-G491	A170 6E	\$170.90
2—G653	2-G488	\$173.65	\$170.00
2-G648	2-G489	100	
\$371.65	2-G484		
	\$281.90		
SELECTION "L"			
DINING BRACKETS			
2-G205			
2-G207	This "Brack	ket Display" com	nes with a

This "Bracket Display" comes with a wiring harness plus 3 turn switches which will light control each row of fixtures. Hardware is also supplied for Bracket Display mount on wall.



2-G214

2-G217 2-G223

2-G229 2-G238

CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE	CATALOG	STANDARD	APPROX. SHIP WEIGHT EA	PRICE
G685	2	10 lbs.	66.25	G740	2	11 lbs.	39.90
G686	2	14 lbs.	34.90	G741	1	20 lbs.	123.75
G687	2	14 lbs.	34.90	G742	2	10 lbs.	61.90
G688	3	10 lbs.	28.75	G743	3	21/2 lbs.	14.90
G689	3	10 lbs.	28.75	G744	2	14 lbs.	62.40
G690	3	21/4 lbs.	14.90	G749	3	10 lbs.	36.25
G691	1	14 lbs.	124.40	G750	3	10 lbs.	36.25
G692	3	21/4 lbs.	26.90	G751	3	6 lbs.	36.90
G693	3	6 lbs.	22.40	G752	3	6 lbs.	38.65
G694	2	7 lbs.	26.25	G754	2	11 lbs.	72.40
G695	2	8 lbs.	29.40	G755	4	4 lbs.	20.00
G696	3	5 lbs.	17.40	G756	4	4 lbs.	21.25
G697	3	5 lbs.	17.40	G757	3	5 lbs.	17.40
G698	1	23 lbs.	206.25	G758	3	5 lbs.	17.40
G700	2	7 lbs.	34.90	G759	4	8 lbs.	24.90
G701	3	5 lbs.	17.40	G760	4	8 lbs.	24.90
G702	2	10 lbs.	32.40	G765	2	11 lbs.	39.90
G703	2	10 lbs.	32.40	G766	2	11 lbs.	39.90
G707	3	5 lbs.	22.40	G767	2	15 lbs.	58.75
G709	2	12 lbs.	61.25	G768	2	15 lbs.	58.75
G710	2	19 lbs.	86.90	G769	2	7 lbs.	31.90
G712	2	10 lbs.	37.40	G770	3	3 lbs.	18.75
G713	3	6 lbs.	26.90	G771	3	3 lbs.	18.15
G714	6	21/2 lbs.	11.25	G772	2	7 lbs.	86.90
G719	2	13 lbs.	47.40	G773	2	4 lbs.	29.90
G720	2	13 lbs.	47.40	G774	2	4 lbs.	29.90
G721	2	8 lbs.	27.40	G775	2	4 lbs.	29.90
G722	2	8 lbs.	27.40	G776	1	30 lbs.	162.50
G723	4	5 lbs.	17.40	G778	2	22 lbs.	97.40
G724	3	8 lbs.	22.40	G780	3	3 lbs.	17.40
G729	2	8 lbs.	41.90	G781	2	14 lbs.	56.90
G730	2	8 lbs.	41.90	G782	2	14 lbs.	56.90
G731	2	10 lbs.	54.90	G783	4	11/2 lbs.	9.90
G732	2	8 lbs.	52.50	G784	4	11/2 lbs.	9.90
G733	2	8 lbs.	52.50	G785	2	15 lbs.	89.40
G734	2	5 lbs.	29.40	G786	3	2 lbs.	16.90
G739	2	11 lbs.	39.90	G787	1	13 lbs.	186.25

NUMBER CATALOG STANDARD QUANTITY		PRICE PRICE		CATALOG NUMBER STANDARD QUANTITY		PRICE WEIGHT EA		
G788	1	2 lbs.	27.40	G843	4	5 lbs.	17.40	
G789	3	10 lbs.	22.40	G850	3	10 lbs.	23.15	
G790	1	18 lbs.	156.25	G851	3	10 lbs.	23.15	
G791	1	15 lbs.	116.25	G852	3	10 lbs.	23.15	
G792	1	21/2 lbs.	41.25	G853	3	8 lbs.	19.90	
G794	1	9 lbs.	99.90	G854	3	8 lbs.	19.90	
G795	1	10 lbs.	106.25	G855	3	8 lbs.	19.90	
G796	1	19 lbs.	181.25	G856	6	6 lbs.	14.40	
G797	1	18 lbs.	175.00	G857	6	6 lbs.	14.40	
G798	1	15 lbs.	174.90	G858	6	6 lbs.	14.40	
G 799	1	3 lbs.	56.25	G859	- 6	5 lbs.	13.75	
G806	3	61/2	49.90	G860	6	5 lbs.	13.75	
G807	3	61/2	48.15	G861	6	5 lbs.	13.75	
G808	2	15 lbs.	99.40	G870	3	8 lbs.	22.40	
G809	2	10 lbs.	63.75	G871	3	8 lbs.	22.40	
G810	3	4 lbs.	22.40	G872	3	8 lbs.	22.40	
G811	2	14 lbs.	64.40	G873	3	6 lbs.	16.25	
G812	3	6 lbs.	24.90	G874	3	6 lbs.	16.25	
G819	3	7½ lbs.	42.40	G875	3	6 lbs.	16.25	
G820	3	7½ lbs.	37.40	G876	6	4 lbs.	8.15	
G821	2	13 lbs.	69.90	G877	6	4 lbs.	8.15	
G822	2	13 lbs.	61.25	G878	6	4 lbs.	8.15	
G840	3	7 lbs.	23.75	G879	12	23/4 lbs.	6.25	
G841	3	7 lbs.	23.75	G880	12	23/4 lbs.	6.25	
G842	4	5 lbs.	17.40	G881	12	2¾ lbs.	6.25	

NUMBER	PRICE	NUMBER	PRICE	S REPI NUMBER	PRICE	NUMBER	PRICE	NUMBER	PRICE
G685 G686 G687 G688 G689 G690 G691 Shade G692 Shade G693 G694 G695	\$3.75 ea. 11.25 11.25 6.90 6.90 3.75 ea. 7.40 ea. 7.25 8.75 11.25	G712 G713 G714 G723 G724 G731 G732 G733 G734 G739	1.90 ea. 1.90 ea. 1.90 6.90 11.75 2.25 ea. 3.75 ea. 3.40 ea. 3.40 ea.	G760 G765 G766 G767 G768 G769 G770 G771 G772 G773	6.40 6.90 6.90 11.25 11.25 2.15 3.75 3.75 5.25 ea. 5.25	G799 Bobesche G808 {Inner Outer G809 {Inner C810 {Inner Outer G811 } Inner C811 {Inner Outer G812 {Inner Outer C812 {Inner Outer	1.50 2.40 4.50 2.40 4.50 2.40 4.50 16.50 20.65 2.40 4.50	G852 G853 G854 G855 G856 G857 G858 G859 G860 G861 G870	10.00 9.00 9.00 9.00 5.65 5.65 4.50 4.50 4.50
G696 G697 G698 G700 G701 G702 G703 G707 G709 G710	5.40 5.40 ea. 7.40 ea. 7.40 5.65 5.65 5.65 5.90 1.90 ea.	G741 G742 G743 G744 G749 Lens 1.50 G750 Lens 1.50 G754 G757 G758 G759	3.40 ea. 3.40 ea. 3.75 ea. 6.90 6.90 3.75 ea. 5.40 5.40 6.40	G775 G776 G778	5.25 3.15 ea. 3.15 ea. 3.15 3.75 ea. 3.75 1.50 1.50 ea. 6.40 1.50	G819 G820 G821 G822 G840 G841 G842 G843 G850 G851	1.75 ea. 1.75 ea. 1.75 ea. 1.75 ea. 4.75 4.75 3.75 3.75 10.00	G871 G872 G873	8.65 8.65 7.15 7.15 7.15 2.75 2.75 2.75 2.25 2.25

GLASS REPLACEMENT

NUMBER	PRICE	NUMBER	PRICE	NUMBER	PRICE	NUMBER	PRICE
G200	11.25	G255	1.50	G305	7.50	G358 Side	1.25 0
G201	6.25	G256	1.50	G306	8.15	G358 End	1.25 ea
G202	6.50	G257	1.50	G307	2.75	G359 Plastic	.90 ea
G203	1.75 ea.	G258		G308			2.15
G204	1.75 ea.	G259	1.50	G309	3.50	G360 Plastic	2.15
G205			1.50	G310	3.00	G361 Plastic	6.90
G206	1.75 ea.	G260 G261	1.50	G311	3.75	G362 Plastic	6.90
G207 Front	4.15 3.50	G262	5.65 5.65	G312	5.25	G363 Plastic	13.75
G207 Front	2.15 ea.		9.40	G313	6.25	G364 Plastic	13.75
G208	6.90	G263 G264	5.65	G314	6.90 7.40	G365 Piastic	8.75
G209	6.90		6.25	G315	9.00	G366 Plastic	8.75
G210	3.15 ea.	G265 G266	5.65		7.75	G367 Plastic	17.50
G211	6.65		4.90	G316	6.90	G368 Plastic	17.50
		G267		G317	10.90	G369	4.50
G213	3.75 ea.	G268	4.90	G318	6.25	G370	6.25
G214 G216	3.75	G269	4.90	G319		G371	8.75
	2.25 ea.	G270	3.75	G320	8.15	G372	11.90
G217	2.25 ea.	G273	5.25	G327	3.90	G373 Plastic	3.25
G218	6.90	G274	7.25	G328	5.15	G374 Plastic	3.25
G219	4.90	G275	3.15	G329	3.90	G375 Plastic	3.25
G220	2.15	G276	3.15	G330	5.15	G376 Plastic	3.25
G222	2.25 ea.	G277	5.25	G331	7.75	G377 Plastic	3.25
G223	3.40	G278	6.00	G332	7.75	G378 Plastic	3.25
G224	6.65	G279	3.15	G333	6.90	G379 Plastic	3.25
G225	6.65	G280	1.25	G334	8.15	G380 Plastic	3.25
G226	9.40	G281	2.75	G335 Side	1.25 ea.	G381 Plastic	6.50
G231	3.50 ea.	G282	2.75	G335 Bottom	7.50	G382 Plastic	6.50
G232	4.90	G283	2.00	G336 Side	1.25 ea.	G383 Plastic	6.50
G233	4.90	G284	2.00	G336 Bottom	7.50	G384 Plastic	6.50
G234	4.90	G285	1.75	G337	4.90	G385 Plastic	6.50
G235	4.90	G286	3.50 ea.	G338	6.90	G386 Plastic	6.50
G236	4.90	G287	4.15 ea.	G339	8.25	G387 Plastic	6.50
G237	4.90	G288	3.50 ea.	G340	4.25 5.40	G388 Plastic	6.50
G238	3.50	G289 Bottom	3.75	G341	4.00		
G239	1.75 ea.	G289 Side	2.15 ea.	G345	4.90 6.90	G389 Plastic	2.40
G240	1.75 ea.	G290	2.50 ea.	G346	7.40	G390 Plastic	2.40
G241 Hood	26.25	G291	2.50 ea.	G347	8.65	G391 Plastic	2.40
G241 Chimney	2.40 ea.	G292 Basket	12.40	G348	6.90	G392 Plastic	2.40
G242	12.40	G293	1.75	G349	11.75	G393 Plastic	2.40
G243	2.40	G294	2.50 ea.	G350 G351	4.90	G394 Plastic	2.40
G244	2.40	G295	3.15	G352	4.90	G395 Plastic	2.40
G245	2.40	G296	8.75	G353	4.90	G396 Plastic	2.40
G246	2.25 ea.	G297	13.15	G354	14.90	G397 Plastic	3.15
G247	2.25	G298	7.40	G355 Bottom	3.75	G398 Plastic	3.15
G248	2.25	G299	12.40	G355 Side	1.25 ea.	G399 Plastic	3.15
G249	2.40	G300 Top	4.90	G356 Bottom	3.75	G400 Plastic	3.15
G250	2.40	G300 Bottom	5.40	G356 Side	1.25 ea.	G401 Plastic	3.15
G251	2.40	G301	5.40	G357 Bottom	3.15	G402 Plastic	3.15
G252	2.40	G302	7.40	G357 Side	1.25 ea.	G403 Plastic	3.15
G253	2.40	G303	6.90	G357 End	.90 ea.	G404 Plastic	3.15
G254	2.40	G304	5.65	G358 Bottom	3.15	G405 Plastic	4.75
	-100						

NUMBER	PRICE	NUMBER	PRICE	NUMBER	PRICE	NUMBER	PRIC
G406 Plastic	4.75	G459	4.15	G607 Top	1.40 ea.	G715	2.2
G407 Piastic	4.75	G460	4.15	G609	1.90 ea.	G716	2.2
G408 Plastic	4.75	G461	4.15	G610	1.90 ea.	G717	2.2
G409 Plastic	4.75	G462	4.15	G612	1.25 ea.	G718	2.2
G410 Piastic	4.75	G463	1.90	G613	1.25 ea.	G725	3.6
G411 Plastic	4.75	G464	1.90	G656	1.90	G726	3.6
G412 Plastic	4.75	G465	1.90	G657	1.50	G727	3.6
G413 Piastic	6.25	G466	1.90	G658	6.25	G728	3.6
G414 Piastic	6.25	G467	2.25	G659	8.75	G735	2.2
G415 Piastic	6.25	G468	2.25	G660	6.90	G736	2.2
G416 Plastic	6.25	G469	2.25	G661	6.90	G737	2.2
G417 Plastic	6.25	G470	2.25	G662 Cylinder	6.25	G738	2.2
G418 Plastic	6.25	G471	2.00	G662 Bottom	1.00	G745	4.40
G419 Plastic	6.25	G472	2.00	G663 Cylinder	6.25	G746	4.40
G420 Piastic	6.25	G473	2.00	G663 Bottom	1.00	G747	4.40
G421 Plastic	6.25	G474	2.00	G664 Cylinder	6.25	G748	4.40
G422 Plastic	6.25	G475	2.90	G664 Bottom	1.00	G815	2.40
G423 Plastic	6.25	G476	3.90	G665 Cylinder	6.25	G816	2.40
G424 Plastic	6.25	G477	5.40	G665 Bottom	1.00	G817	2.40
G425 Plastic	6.25	G480 side	1.00 ea.	G666 Cylinder	6.25	G818	2.4
G426 Plastic	6.25	G480 Bottom	4.90	G666 Bottom	1.00	G825	3.7
G427 Plastic	6.25	G481	4.40	G667 Cylinder	6.25	G826	3.7
G428 Plastic	6.25	G482	5.65	G667 Bottom	1.00	G827	3.7
G431	3.25	G483	6.25	G668	5.65	G828	3.7
G432	3.25	G484	2.75	G669	7.00	G835	2.4
G433	3.25	G485	5.65	G670	5.25	G836	2.4
G434	3.25	G486	3.50 ea.	G671	6.00	G837	2.4
G435	8.75	G487	3.50 ea.	G672	7.25	G838	2.4
G436	8.75	G488	3.90	G673	8.75	G845	4.5
G437	8.75	G489	3.65	G674	5.25	G846	4.5
G438	8.75	G490	5.40	G675	5.25	G847	4.5
G439	8.25	G491	3.50	G676	6.00	G848	4.5
G440	8.25	G492	3.50	G677	6.00	G915	3.0
G441	8.25	G494	1.50 ea.	G678	7.25	G916	3.0
G442	8.25	G495 Front	2.75	G679	7.25	G917	3.0
G443	3.50	G495 side	1.40 ea.	G680	8.75	G918	3.0
G444	3.50	G496	1.90 ea.	G681	8.75	G925	4.4
G445	3.50	G497	1.90 ea.	G683	4.40	G926	4.4
G446	3.50	G498	2.25	G684	4.40	G927	4.4
G447	6.65	G499 Front	4.50	G761	5.65	G928	4.4
G448	6.65	G499 side	1.40 ea.	G762	5.65	G935	3.0
G449	6.65	G499 Bottom	1.40 ea.	G801	5.40	G936	3.0
G450	6.65	G600 side	.75 ea.	G802	6.50	G937	3.0
G451	4.15	G600 Bottom	.65	G803	1.75 ea.	G938	3.0
G452	4.15	G601 side	.90 ea.	G804	1.75 ea.	G945	8.2
G453	4.15	G601 Bottom	.75	G805	1.75 ea.	G946	8.2
G454	4.15	G602	1.50 ea.	G885	1.75 ea.	G947	8.2
G455	8.25	G603	1.50 ea.	G901	6.50	G948	8.2
G456	8.25	G604	3.00 ea.	G902	6.50		
G457	8.25	G605	3.00 ea.	G903	6.90	-	
G458	8.25	G607 Bottom	3.00 ea.	G904	6.65		

Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA

GLOBE
LIGHTING
PRODUCTS
INC.

PLANT AND OFFICES: S H O W R O O M S: 1710 FLUSHING AVENUE · BROOKLYN, NEW YORK 16 EAST 40TH STREET · NEW YORK 16, N. Y.

CALIFORNIA WAREHOUSE . 1500 SOUTH SANTA FE AVENUE . LOS ANGELES, CALIFORNIA